

100-1302

11/14/2013

1/25



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ronald Hampton, Ph.D.
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419

NOV 14 2013

Dear Dr. Hampton:

Subject: Amendment: Revise per Agency letter dated January 10, 2013 regarding pyrethroids
Cypermethrin ME 2.0% Concentrate
EPA Reg. No. 100-1302
Your submission dated September 20, 2013

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10), or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard Gebken".

Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

100-1302 D 484308



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input checked="" type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 100-1302	2. EPA Product Manager Mr. Mark Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Cypermethrin ME 2.0% Concentrate	PM# PM 23, Insecticide	
5. Name and Address of Applicant (Include ZIP Code) Syngenta Crop Protection, LLC P. O. Box 18300 Greensboro, NC 27419 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input checked="" type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)
Syngenta Crop Protection, LLC herein submits a Non-PRIA Fast Track Amendment for Cypermethrin ME 2.0% Concentrate (EPA Reg. No. 100-1302) for minor changes to the existing labeling as per the EPA memo, dated January 10, 2013, entitled "Revisions to Environmental Hazard and General Labeling for Pyrethroid Non-agricultural Outdoor Products".

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt. No. per Container	If "Yes" Unit Packaging wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container.		4. Size(s) Retail Container 1 quart		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input checked="" type="checkbox"/> Other Pressure Sensitive	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Ronald E. Hampton	Title Regulatory Product Manager Lawn, Garden and Seed Care	Telephone No. (Include Area Code) (336) 632-5712
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Product Manager	
4. Typed Name Ronald E. Hampton, Ph.D.	5. Date September 20, 2013	

E-SUBMISSION

3/25



Ronald E. (Ron) Hampton
Regulatory Product Manager, Lawn
and Garden
(336) 632-5712 (phone)
(336) 632-5688 (fax)
ronald.hampton@syngenta.com

Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, NC 27419-8300
www.syngenta.com

FedEx

September 20, 2013

Document Processing Desk (E-SUB) (AMEND)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900 One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501



**Attention: Mr. Mark Suarez, PM Team 13, Insecticide Branch
Registration Division**

**SUBJECT: CYPERMETHRIN ME 2.0% CONCENTRATE
EPA REG. NO. 100-1302
FAST-TRACK AMENDMENT: REVISIONS TO ENVIRONMENTAL HAZARD
AND GENERAL LABELING FOR PYRETHROID NON-AGRICULTURAL
OUTDOOR PRODUCTS (PER EPA MEMO OF JANUARY 10, 2013)**

Dear Mr. Suarez:

Syngenta Crop Protection, LLC herein submits a Non-PRIA Fast Track Amendment for Cypermethrin ME 2.0% Concentrate (EPA Reg. No. 100-1302) for minor changes to the existing labeling as per the EPA memo, dated January 10, 2013, entitled "Revisions to Environmental Hazard and General Labeling for Pyrethroid Non-agricultural Outdoor Products". An amended label with all changes highlighted is provided for your review.

Enclosed in support of this submission are the following documents submitted in E-prism format on the enclosed CD:

- EPA Form 8570-1: Application for Pesticide Registration Amendment
- Electronic versions of the proposed label and highlighted label

Fees for Services

Since this is an administration fast-track action, a PRIA fee is not required as per the Pesticide Registration Improvement Renewal Act (PRIA III) of 2012.

I thank you for your time and attention. If there are any questions regarding this submission, please contact me by telephone at 336-632-5712 or by e-mail at ronald.hampton@syngenta.com. (Alternatively, you may contact Pat Eay at 336-632-6746 or pat.eay@syngenta.com.)

Sincerely,

Ronald E. Hampton
Regulatory Product Manager, Lawn and Garden
Syngenta Crop Protection, LLC

Enclosures

E-SUBMISSION

[Master Label]

CYPERMETHRIN ME 2.0% CONCENTRATE

[Insecticide for Use Only Around the Home] [Mix & Spray product]

[Insecticide for Use on Home Lawns] [Hose-End Spray product]

Active Ingredient:

Cypermethrin (CAS No. 52315-07-8) 2.08%

Other Ingredients 97.92%

Total: 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)


See additional precautionary statements and directions for use in booklet [on label] [back panel].

EPA Reg. No. 100-1302

[EPA Est. No. placeholder]

[Net Contents placeholder]

Net Contents



E-SUBMISSION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</p>	
<p>HOT LINE NUMBER For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident), Call 1-800-888-8372 [Alternate phone number]</p>	

<p>User Safety Recommendations</p> <p>Users should:</p> <ul style="list-style-type: none"> • Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. • Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Environmental Hazards

This product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and run-off may be hazardous to fish in water adjacent to treated areas.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

This product is highly toxic to bees exposed to direct treatment or residues on blooming plants. Do not apply this product or allow it to drift to blooming plants if bees are visiting the treatment area.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of SYNGENTA CROP PROTECTION, LLC or Seller. To the extent permitted by applicable law, Buyer and User agree to hold SYNGENTA and Seller harmless for any claims relating to such factors.

SYNGENTA warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or SYNGENTA, and, (2) Buyer and User assume the risk of any such use. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, SYNGENTA MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL.**

To the extent permitted by applicable law, in no event shall SYNGENTA be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SYNGENTA AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SYNGENTA OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

SYNGENTA and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of SYNGENTA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- Read entire label before using this product.
- Do not apply this product in a way that will contact any person, pet, either directly or through drift. Keep people and pets out of the area during application. Exit area immediately and remain outside the treated area until sprays have dried.
- People and pets may re-enter after the treated area has been allowed to dry.

[Mix & Spray product label]

HOW TO APPLY

- **Determine size of spraying job.** For lawns, measure the area to be sprayed. For landscape trees and woody ornamentals, estimate the amount of spray mixture to provide thorough coverage.
- **Carefully measure and mix** the amount of product and water as indicated in the use directions. It is always a good idea to wear water-resistant gloves when handling pesticides.
- **Spray as directed.** Thorough coverage is important. Spray just enough to cover treated area. Avoid over-wetting. Do not allow dripping or runoff to occur.
- **Flush sprayer** with clean water after each use.

[Mix & Spray product label]

PRECAUTIONS AND RESTRICTIONS

Do not allow adults, children, or pets to enter the treated area or contact treated surfaces until sprays have dried.

Application to Indoor Sites

- Do not apply this product to edible plants or food, boxes, or other electrical equipment because of possible shock hazard.
- Do not use in greenhouses where plants are grown for food.
- Do not allow spray to contact food, food preparation surfaces, food utensils or water supplies.
- All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.
- Do not apply to pets. Remove birds and other pets. Do not allow pets to enter the treated areas or contact treated surfaces until sprays have dried. Cover any water inhabited by fish (such as aquariums and ornamental fish ponds) during treatment, and turn aquarium systems off.
- Do not apply this product in any room being used as a living, eating, or recovery area by patients, the elderly, or the infirm when they are in the room.
- During any indoor surface application, do not allow dripping or runoff to occur. During any applications to ceilings of a structure, cover surface below with plastic sheeting or other material.
- For indoor applications, do not apply to whole floors, walls, etc. Limit applications to no more than 20% or surface area.
- At the recommended rates, Cypermethrin ME 2.0% Concentrate will not damage painted or varnished surfaces, plastic, fabric or other surfaces when water alone causes no damage.
- This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.
- Do not use as a space spray.
- Use only in well-ventilated areas.
- Do not apply to classrooms when in use.
- Do not apply to areas of institutions (including libraries, sport facilities, etc) when occupants are present in the immediate treatment area.
- Do not use concentrate or emulsion in fogging equipment.

[Mix & Spray product label]

Application to Outdoor Sites

- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 - Treatment to soil or vegetation, as listed on this label, around structures;
 - Applications to lawns, turf, and other vegetation, as listed on this label;
 - Applications to building foundations, up to a maximum height of 3 feet above grade.
- Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot treatment or crack-and-crevice applications only.
- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not apply when windy.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Do not allow applications to contact water inhabited by fish, such as aquariums and ornamental fish ponds that are located in/near structures being treated. Cover any water inhabited by fish during treatment, and turn aquarium systems off.
- Do not apply directly to swimming pools or swimming pool systems.
- This product may be applied as a broadcast treatment to lawns and other vegetated areas around swimming pools, or as a spot treatment or crack-and-crevice treatment to impervious surfaces (such as tiled walkways) around pools.

[Mix & Spray product label]

LAWNS AND WOODY ORNAMENTALS

Lawn Insects

Ants Chinch bugs Cockroaches Crickets	Fleas Ground Beetles Mole crickets Ticks
--	---

How to apply

- Mix 4–7½ fl oz in 8 gallons water to [cover] [treat] 1,000 sq ft.
- [1 qt of [Cypermethrin ME 2.0% Concentrate] treats up to 8,000 sq ft.]
- Works best when your grass is no longer than 3 inches.
- Use the higher rate for faster control or longer length control.
- Re-treat if pests continue to be a problem.

Ant Mounds

- Do not disturb the mound prior to treatment.
- Add 6 fl oz to a container and add enough water to make 1 gallon of mixture.
- Drench the mound and a 2 foot area around the mound.
- For best results, apply in cool weather, 65° to 80° F, or in the early morning or late evening.
- Kills the entire mound, including the queen.

[Mix & Spray product label]

Tree and Woody Ornamental Insects

Bark Beetles Borers Boxelder Bugs Chafers (adults)	Elm Leaf Beetles Gypsy Moths (adults and caterpillars) Japanese Beetles
---	---

How to apply

- Add 6 fl oz to sprayer and add enough water to make 1 gallon of spray mixture.
- Boxelder Bugs, Elm Leaf Beetles, and Gypsy Moth caterpillars: For control, thoroughly spray tree trunks, siding, or wherever the insects congregate.
- Borers and Bark Beetles: To prevent infestations of trees and woody ornamentals, spray the bark thoroughly.
- Do not allow dripping or runoff to occur.

[Mix & Spray product label]

[NUISANCE] PESTS OUTSIDE AND INSIDE THE HOME

<p>Ants Asian Cockroaches Boxelder Bugs Carpenter Ants Carpenter Bees Centipedes Chiggers¹ Cockroaches – maintenance (includes Palmetto bugs, Waterbugs) Crickets Earwigs Elm Leaf Beetle Firebrats Fleas¹ Flies Ground Beetles Millipedes Mosquitoes¹ Pillbugs Silverfish Sowbugs</p>	<p>Add 6 fl oz to sprayer and add enough water to make 1 gallon of spray mixture.</p>
<p>Bees Cockroaches – clean-out (includes Palmetto bugs, Waterbugs) Spiders Ticks Wood Infesting Beetles</p>	<p>Add 11 fl oz to sprayer and add enough water to make 1 gallon of spray mixture.</p>
<p>Ants Asian Cockroaches Boxelder Bugs Carpenter Ants Carpenter Bees Centipedes Chiggers¹ Cockroaches – maintenance (includes Palmetto bugs, Waterbugs) Crickets Earwigs</p>	<p>Add 6 fl oz to sprayer and add enough water to make 1 gallon of spray mixture.</p>

[Mix & Spray product label]

Elm Leaf Beetle Firebrats Fleas ¹ Flies Ground Beetles Millipedes Mosquitoes ¹ Pillbugs Silverfish Sowbugs	
---	--

¹Outdoor use only

Ants – Apply to ant trails, around doors and windows and wherever else ants may find entrance.

Bees – Thoroughly spray the nest, entrance hole, and surrounding areas in the evening when insects are resting.

Boxelder Bugs, Sowbugs, Pillbugs, Millipedes, Elm Leaf Beetles and Centipedes – Apply around windows and doors where these pests may be found or may enter. Spray baseboards and storage areas.

Flies – Apply to walls, ceilings, window screens, and other fly resting areas as a preventative treatment.

OUTDOOR SURFACES

Where to apply

- exterior siding, foundations
- outside surfaces of buildings, porches, patios, garages
- screens, window frames, eaves
- trunks of woody ornamentals, soil near buildings
- other areas where pests are active
- Remove exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use.
- Do not use on edible crops.

[Mix & Spray product label]

HOME [PERIMETER] TREATMENT

Where to apply

- to building foundation
- around windows, doors, service line entrances, eaves, and vents
- other areas where crawling insects can enter the building

How to apply

- Before you spray, remove debris and leaf litter from next to the foundation, cut back vegetation and branches that touch the foundation, and move or rake back rocks, deep mulch, or other material that could harbor pests next to the foundation.
- Add 6 fl oz to sprayer and add enough water to make 1 gallon of spray mixture. (1 gallon of spray mixture will treat 500 sq ft of surface area.)
- Apply a continuous band up to 3 ft wide next to the foundation and to 3 ft upwards along the foundation. Spray a continuous band around windows, doors, eaves and vents.
- Apply as a coarse spray to thoroughly and uniformly wet the foundation and/or band area.

INDOORS

Where to apply

- cracks and crevices in walls
- along and behind baseboards
- dark corners of rooms and closets
- beneath and behind sinks, stoves, refrigerators and cabinets
- underside of shelves, drawers and similar areas
- storage areas, attics
- around plumbing and other utility installations

Application Around or Near Floor Drains

Do not apply directly to floor drains, or to any area where drainage to storm sewers, water bodies, or other aquatic habitats can occur.

When making an application around and near a floor drain, limit the application to a spot treatment and do not allow the product to enter the drain during or after the application.

[Mix & Spray product label]

TREATMENT OF STRUCTURAL WOOD

Wood-Infesting Beetles – Includes Powderpost Beetle, False Powderpost Beetle, Deathwatch Beetle, Old House Borers, and Ambrosia Beetle in homes and other structures around the home. Add 13½ fl oz to sprayer and add enough water to make 1 gallon of spray mixture and apply as a coarse spray. If spraying overhead, cover all surfaces below with plastic sheeting or other material that can be disposed of if dripping of the spray mixture occurs.

Carpenter Bees – Add 6 fl oz to sprayer and add enough water to make 1 gallon of spray mixture and spray directly into the bee entrance holes. Following treatment, leave the entrance holes open for 24 hours to be certain that returning bees are killed. When there is no bee activity, close the entrance hole with wood putty.

Carpenter Ants – Add 13½–25 fl oz to sprayer and add enough water to make 1 gallon of spray mixture and treat around doors and windows and other areas where Carpenter Ants enter the premises and where they crawl. Spray into cracks and crevices. Apply as a coarse spray, but not to the point of runoff.

To protect firewood from Carpenter Ants, treat the soil beneath the cords with a solution of 13½–25 fl oz and enough water to make 1 gallon. One gallon of mixture treats 10 sq ft.

[Mix & Spray product label]

[Optional Comprehensive List of Marketing Claims for Mix & Spray Products follows]

- [Protects Listed Areas:] [Protects] Lawns and [Woody Ornamentals] [Trees]
- [Wide Range of Control:] [Controls] Ants (except Fire and Harvester ants), Aphids, Chinch Bugs, Mole Crickets, Fleas and Ticks
- [Wide Range of Control:] [Controls] Bark Beetles, Borers, Boxelder Bugs, Elm Leaf Beetles, and Gypsy Moths
- Controls listed outdoor insects
- Kills Lawn and Woody Ornamental Insects [including Chinch Bugs, Fleas, Mosquitoes, Ants, Ticks and other listed insects]
- Kills Listed Nuisance Pests Outside the Home
- Kills Listed Pests on Outdoor Surfaces
- Low Odor [Formula]
- Spray Concentrate
- Concentrated Insect Spray
- Kills 38 Listed Pests [by Contact]
- *Guaranteed Results or Your Money Back
- Satisfaction Guaranteed [or Your Money Back]
- [1 Quart] [Covers] [Treats] up to 8,000 square feet of lawn
- [1 Quart] Makes nearly 5 gallons [of spray]
- Water-based
- Lawn Insecticide
- For Lawn Insect Control
- For Broadcast and [Perimeter] Use
- Controls Listed Nuisance Pests Outside the Home
- Apply as a [Perimeter] Treatment [Around the Home]
- Non-staining
- [Works] [Kills] in 24 Hours
- Broad-Spectrum [Insect Killer] [Insecticide] [Concentrate]
- For [Lawn] Insects
- Protection From Insect Damage
- Kills and Repels Listed Insects
- Kills Ticks

[Mix & Spray product label]

[Optional Fire Ant Claims for Mix and Spray Products follows]

- Kills Fire Ant Mounds
- Kills the Queen
- Kills the Queen and Mound

[Optional Product Fact Box for Mix and Spray Products]

PRODUCT FACTS

CONTROLS:

Kills Ants, Cockroaches, Fleas, Chinch Bugs, Mosquitoes, Beetles, Ticks, and Other Listed Insects

Where to Use:

[Inside and outside the home] [Lawns] [and Woody Ornamentals] [and Trees]

Questions or Comments?

Call [800 number] or visit our Website at [www._____.com]

[Hose-End Spray product label]

HOW TO APPLY

- **Connect a garden hose** to the [Hose-End Sprayer] nozzle. Make sure the dial on the hose end sprayer is in the "OFF" position [with the safety tab in the valve notch].
- **Turn on water at faucet.** Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
- **To begin spraying,** point nozzle toward treatment area and [1.) bend the safety tab back with your thumb, 2.) hold safety tab back while turning dial counter clockwise until it stops.] turn the hose end sprayer to the "ON" position. Water will automatically mix with the product. [Optional graphic of hose-end sprayer]
- **Spray until wet.** Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.

To stop spraying, quickly turn the [dial counter clockwise until it stops and the safety tab engages into the notch on the valve] [hose-end sprayer to the "OFF" position]. Turn water off at faucet. To relieve pressure before removing nozzle from hose, [bend the safety tab back and turn dial "ON"] [turn the hose end sprayer to the "ON" position] until water stops spraying.

PRECAUTIONS AND RESTRICTIONS

- Do not allow adults, children, or pets to enter the treated area or contact treated surfaces until sprays have dried.
- Do not spray near conduits, motor housings, junction boxes, switch boxes, or other live electrical equipment due to possible shock hazard.
- Do not apply this product to edible plants.
- This product is non-staining to most home siding depending on age and cleanliness. However, before using in areas where the spray may contact home siding (vinyl siding in particular), test in an inconspicuous area and recheck in a few hours. Do not use if any staining is observed.

[Hose-End Spray product label]

Application to Outdoor Sites

- All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:
 - Treatment to soil or vegetation, as listed on this label, around structures;
 - Applications to lawns, turf, and other vegetation, as listed on this label;
 - Applications to building foundations, up to a maximum height of 3 feet above grade.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot treatment or crack-and-crevice applications only.

- Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Do not apply when windy.
- Do not water the treated area to the point of run-off.
- Do not make applications during rain.
- Do not allow applications to contact water inhabited by fish, such as aquariums and ornamental fish ponds that are located in/near structures being treated. Cover any water inhabited by fish during treatment, and turn aquarium systems off.
- Do not apply directly to swimming pools or swimming pool systems.
- This product may be applied as a broadcast treatment to lawns and other vegetated areas around swimming pools, or as a spot treatment or crack-and-crevice treatment to impervious surfaces (such as tiled walkways) around pools.

[Hose-End Spray product label]

Lawn Insects

Ants Chinch bugs Cockroaches Crickets	Fleas Ground Beetles Mole crickets Ticks
--	---

How to apply

- Use 1 qt of [Cypermethrin ME 2.0% Concentrate] to [cover] [treat] up to 8,000 sq ft of lawn.
- Works best when your grass is no longer than 3 inches.
- Use the higher rate for faster control or longer length control.
- Re-treat if pests continue to be a problem.

[Hose-End Spray product label]

[Optional Comprehensive List of Marketing Claims for Hose-End Spray Products follows]

- [Protects] Lawns
- [Wide Range of Control:] [Controls] Ants (except Fire and Harvester ants), Chinch Bugs, Mole Crickets, Fleas and Ticks
- Controls tough listed outdoor insects
- Kills Lawn Insects [including Chinch Bugs, Fleas, Ants, Ticks and other listed insects]
- Low Odor [Formula]
- Connect and Spray [Optional for EZ pull and apply]
- Spray Concentrate
- Concentrated Insect Spray
- Kills [on Contact]
- *Guaranteed Results or Your Money Back
- Satisfaction Guaranteed [or Your Money Back]
- [1 Quart] [Covers] [Treats] up to 8,000 square feet of lawn
- Water-based
- Lawn Insecticide
- For Lawn Insect Control
- [Works] [Kills] in 24 Hours
- Broad-Spectrum [Insect Killer] [Insecticide] [Concentrate]
- For [Lawn] Insects
- Protection From Insect Damage
- Kills and Repels Listed Insects
- Kills Ticks

[Hose-End Spray product label]

[Optional Product Facts box for Hose-End Spray product]

PRODUCT FACTS

CONTROLS:

Kills Ants, Cockroaches, Fleas, Chinch Bugs, Ticks, and Other Listed Insects

Where to Use:

Lawns

Questions or Comments?

Call [800 number] or visit our Website at [www._____.com]

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry place. Keep container closed and away from food, feedstuffs, and domestic water supplies.

Container Handling

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or **1-800-888-8372** [Alternate phone number] for disposal instructions. Never place unused product down any indoor or outdoor drain.

The SYNGENTA Logo is a Trademark of a Syngenta Group Company

©201_ Syngenta

For non-emergency (e.g., current product information), call
Syngenta Crop Protection at 1-800-334-9481

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300

000100-01302.20130920.Cypermethrin ME 2.0 Concentrate_AMEND